

Sticky nightshade

QUATRO

Variety specific characteristics

Quattro has an early and rapid initial development.

Variety name	Start development	Ground covering	Plant length	Alloying chance	Dry matter yield	Resistance potato cyst nematode
Quattro	Mediocre	Mediocre	Average	Small	Good	Very good

Source: Vandinter Semo

Cultivation advice for sticky nightshade

Sowing time in spring	After mid-May (0,5 to 1 cm deep with a soil temperature of at least 10 degrees)
Seed quantity	3 kg per hectare - 20 kg per hectare (including filler)
Flowering time	End of August
Weed control	Immediately after sowing, before emergence, apply low dose Roundup. After emergence, in well-developed crops, a maximum of 30 grams of Titus per hectare. Spray in a low dose several times in consultation with your advisor.
Fertilization	100 kg N per hectare in the spring, 50 kg N per hectare end of July
Row distance	10 - 15 cm

To be used during the harvest and sowing plan of



Potatoes



Onions



Flower bulbs



Sugar beet



Carrots



Spinach



Wheat



Cabbage

Sticky nightshade
(*Solanum sisymbriifolium*)



ACTIVE

Active. Quality mark for proven green manure.

Guarantee for a healthy soil.

Vandinter Semo has a solid reputation as a supplier of distinctive green manure, thanks to a successful cultivation and breeding programme. The high scores on the catalogue of varieties confirm that. The high-scoring Vandinter Semo green manure varieties have the Active quality mark. A guarantee for a healthy soil.

Only varieties grown in-house are eligible for the Vandinter Semo Active quality mark. The Active quality mark guarantees a proven active effect against nematodes, a proven active germination capacity and a seed purity of 98.5%.